

TECHNICAL DATA SHEET

DWP 210

Code 7700

Dewatering Rust Preventive

DESCRIPTION

Callington DWP 210 is a solvent deposited, short term corrosion preventive, with outstanding dewatering properties.

Corrosion and stain protection is provided by a residual light oily film, after evaporation of the solvent.

FEATURES & BENEFITS

- Excellent water displacing capability
- Provides a clean separation from water or alkaline solutions, allowing for easy separation and longer bath life.
- Highly penetrative, forms an even, unbroken protective film, which is self-healing, providing protection even during handling of parts
- High stability and resistance to acidic and alkaline contaminants, ensures increased bath life and protection
- Easily cleanable using solvent cleaners or aqueous alkaline cleaners, ensures compatibility with subsequent operations



APPLICATION

Callington DWP 210 is applied by dip immersion, brushing, or spraying. Immersion of the component or part to be protected in a dip tank, is the preferred method of application, as this optimises the dewatering action of the fluid.

Callington DWP 210 rapidly removes residual water from parts or components which have been machined or washed using aqueous cutting fluids or cleaners.

The protective oily film provides effective short-term corrosion and stain protection on parts during inter-process storage or transportation.



TECHNICAL DATA SHEET

TYPICAL DATA (note: data is typical and does not constitute a specification

| Specification | Unit | Test Method | Value |
|----------------------|---------|-----------------|-------------------|
| Appearance | | Visual | Pale Brown, Clear |
| Flash Point | | DIN 51 755 | >35 |
| Film Type | | | Oily |
| Film Thickness | Microns | | 3.0 - 4.0 |
| Corrosion Protection | Months | Indoor Storage | 3 |
| | Months | Outdoor Storage | 1 |
| Water Displacement | Secs | | <20 |
| Drying Time | Mins | | <60 |

- Film thickness specified is average value. Actual film thickness depends on the surface finish of the part, as well as geometry, such as holes/recesses.
- Actual drying time can vary due to ambient temperature and relative humidity.
- Indoor storage refers to the storage of parts in closed storage with relative humidity of 60% or less.
- Outdoor storage refers to open storage which assumes primary protection from the elements by some form of waterproof cover.

ORDERING INFORMATION

| Product Code | Packaging | |
|--------------|------------|--|
| 7700/18 | 18 litres | |
| 7700/64 | 200 litres | |

STORAGE

Keep container closed, prevent exposure to frost, and prevent water ingress. Store in cool, dry conditions, avoid direct sunlight. Indoor storage is preferable.

WARRANTY – All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, expressed or implied, for which seller assumes legal responsibility and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent. Created 18 September Date Printed 13/11/2020 10:21 AM