

TECHNICAL DATA SHEET

1- SHOT

Code 4508

Disinsection of Cargo Holds & Overnight Cabin Insect Treatment



DESCRIPTION

Callington 1-Shot Aircraft Insecticide is a non-flammable aircraft approved aerosol insecticide for use inside the aircraft cargo holds prior to departure and on-arrival. This product is used to prevent the spread of vector-borne diseases, such as Dengue Fever, Yellow Fever, Malaria, Chikungunya and Zika. It is also effective against a range of agricultural pests, which present a biosecurity risk.

APPROVALS

Callington 1-Shot Aircraft Insecticide complies with the **World Health Organisation** specifications for aircraft insecticides and has the following approvals.

- Boeing D6-7127 and AMS 1450A
- NATO Stock Number: 6840-66-131-2263
- CAGE Code: Z5104
- In compliance with IATA Medical manual & ICAO Annex 9.
- Complies with Ministries of Health & Agriculture, globally
- Callington is an ISO 9001:2015 quality accredited company



For a complete video training guide on how to apply Callington 1-Shot please visit our website on <https://www.callingtonhaven.com/videos.php>

ORDERING INFORMATION

Code	Size	Units per carton	Weight /carton (kg)	Carton Dimensions (cm)	Pallet Configurations				
					Cartons per layer	No. of layers	Dimensions (cm)	Height (cm)	Weight (kg)
4508/150	150g	12	2.4kg	22 x 27 x 15	25	6	90 x 110	103	390

TECHNICAL DATA SHEET

ADDITIONAL INFORMATION

Aircraft approved 1-Shot effectively kills mosquitoes and other flying and crawling insects. It is used for the disinsection of aircraft cargo holds in accordance with respective national Quarantine regulations.

Callington 1-Shot Aircraft Insecticide contains a non-flammable propellant and the **World Health Organisation** recommended active substances of 2% w/w permethrin and 2% w/w d-phenothrin.

APPLICATION

Callington 1-Shot Aircraft Insecticide is to be used for cargo hold disinsection at the last port prior to departure or on-arrival

TREATMENT PROCEDURE PRE-DEPARTURE

- Treatment must be carried out **after** all cargo has been loaded, and **just before** the hold door is closed.
- Since aerosols may set off smoke alarms, be sure to advise the crew that hold spraying is about to commence.
- During disinsection and for 5 min after completion of spraying, the aircraft's air-conditioning must remain off. Recirculation fans may be left on if essential for operation of the aircraft but should be set to the lowest rate.
- Aerosols must be discharged into each cargo hold in such a manner as to ensure that all parts of the cargo hold have been disinsected.
- As the cargo hold door is being closed, leave just enough of an opening to stand the aerosol(s) **1-Shot** between the cargo containers.
- Hold the nozzle down to activate the aerosol.
- If more than one can is required, repeat this application method with additional cans.
- When you see that the spray has been activated, close the hold door immediately, leaving the cans in place to complete the disinsection process.
- Once the aircraft has reached its destination, the exhausted cans are to be collected by ground handlers.
- Spraying of holds shall be carried out at a rate of 35g/100m³

TREATMENT PROCEDURE ON-ARRIVAL

- Since aerosols may set off smoke alarms, be sure to advise the crew that hold spraying is about to commence.
- During disinsection and for 5 min after completion of spraying, the aircraft's air-conditioning must be switched off. Recirculation fans may be left on if they are essential for operation of the aircraft but should be set at the lowest flow rate.
- Disinsection may be done manually by directing the spray into small pressure hatches where present or by placing aerosols inside the hold.
- Open the hold door by no more than 30 cm, place the aerosols inside the hold in a secure upright position, and activate the lock-down nozzle(s).
- Once the spray aerosol(s) appears to be functioning correctly, immediately close the hold door to complete disinsection.
- Allow 2 min for the aerosols to fully discharge, and then wait a further 5 min for saturation.
- Spraying of holds shall be carried out at a rate of 35g/100m³

TECHNICAL DATA SHEET

REQUIREMENTS

For further information on quantities of aerosol cans per model of aircraft, please contact your nearest Callington Sales Manager.

VERIFICATION

The applicator is responsible for ensuring that a certificate detailing the hold treatment is completed. For compliance purposes, the applicator must record the product serial number, located on the underside of the can. The certificate for the hold disinsection and the exhausted or partly exhausted cans must be carried onboard the aircraft and made available to an officer/inspector on request upon arrival.

OVERNIGHT INSECT TREATMENT (Non-USA) Please contact Callington for further information.

SPECIFICATION

Active Ingredient: permethrin at 2% w/w, d-phenothrin at 2% w/w

Discharge rate: 1.0 ± 0.2 g/s

Application Rate: 35g/100m³

WARRANTY – All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, expressed or implied, for which seller assumes legal responsibility and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent. Created 29 May 2019 Date Printed 21/07/2022 8:12 AM