

TECHNICAL DATA SHEET

CITRA-SAFE®

Code 5100


Aircraft Approved Safety Solvent

DESCRIPTION


Citra-Safe® is a safe industrial solvent, produced from non-petroleum distillation and is far safer to work with than chlorinated/petroleum solvents such as MEK, III Trichloroethane, Xylene and Toluene.

Citra-Safe® exhibits non-toxic properties and has no threshold limit values or permissible exposure level limits imposed upon its usage in the workplace; it has no carcinogenic properties and does not contain any hazardous components as defined in the latest United States O.S.H.A. regulations 29 CFR 1910.

Citra-Safe® is a biodegradable solvent and can be used to replace mineral spirits, thinners, and chlorinated solvents. The use of Citra-Safe® reduces the risk of hazardous chemical spills, eliminates most hazardous waste disposal costs, and eliminates health hazards associated with petroleum solvents. The absence of any petroleum hydrocarbons in



Citra-Safe® has been successfully used as a replacement for many dangerous solvents including III Trichloroethane, M.E.K, Acetone, Stoddard solvent, Mineral Spirit, Perchloroethylene, Xylene, Toluene, Freon and many other flammable or toxic solvents.



- Non-toxic properties
- Low evaporation rate allows for a greater coverage rate on application.
- Removes tough grease, oils and tars from metals and painted surfaces.

DIRECTIONS FOR USE

Due to its slow evaporation rate, it is not necessary to use as much Citra-Safe® when using chlorinated solvents. Citra-Safe® is used straight from the can and can be wiped on with a clean rag, brushed or sprayed. To decrease the drying time of the product it is suggested a fan or compressed air can be used to allow airflow over the surface being cleaned. Citra-Safe® may cause certain air rubber to swell. Citra-Safe® will also attack styrene's and some forms of plastic. Please check prior to using.

AREA OF USE

Citra-Safe® removes tough greases, oils, tars and other contaminates from metals, painted surfaces, ceramic, fibreglass, and many plastics. It is also effective in removing some glues, and resins, and can be used to remove oil-based stains from carpets and upholstery. Its ability to evaporate totally after use makes Citra-Safe® an ideal replacement for hazardous chlorinated solvents in cleaning electrical parts and apparatus. Its ability to safely clean polyethylene grease and "Icky Pic" from flooded telephone cables.

Citra-Safe® is a registered trademark of Inland Technology Inc.





TECHNICAL DATA SHEET

APPROVALS

Citra-Safe® has many applications in the aerospace and defence industries and is approved under the following Specifications.

BOEING AIRCRAFT

- BAC 5504 cleaning prior to sealing in fuel cells
- BAC 5000 cleaning prior to general cleaning
- BAC 5750 general solvent cleaning

McDonnell DOUGLAS

DPM 638

AIRBUS CM

• SIL Number 20-006- replace 1,1,1, replace Trichloroethane and Methyl Ethyl Ketone for general cleaning task.

BOMBARDIER

180-9 General Solvent Cleaning.

DE HAVILLAND

- CPM 08-12 Solvent Degreaser.
- AMM 51-31-00 Consumable Materials.

ROCKETDYNE DIVISION ROCKWELL INTERNATIONAL

RB0210-028 cleaning fluid, low vapour pressure aliphatic.

ADVANCED TECHNOLOGY LABORATORIES

- ATL 2310-0624-01 Replace 1,1,1 Trichloroethane for general solvent Cleaning.
- ATL 2301-0625-01 Replace Freon 1113/IPA blend for cleaning crystal lattices.

WESTINGHOUSE

N53316LM.

U.S. AIR FORCE

- T.O. 1C-135-2-5-2 Cleaning prior to sealing in fuel cells KC13
- T.O. 1-1-8 Application and Removal of Organic Coatings, Aerospace and Non-Aerospace equipment.

U.S. DEPARTMENT OF DEFENCE

Military Specification MIL-C-81964A Avionic Cleaner

U.S. ARMY

• TB 43-0135 Recommended substitutes for ozone depleting substances used on communications – electronic equipment.

NATIONAL STOCK NUMBERS

NSN	Packaging
6850-01-378-0886	4 Litres
6850-01-378-0575	20 Litres
6850-01-378-0797	200 litres

Citra-Safe® is a registered trademark of Inland Technology Inc.



TECHNICAL DATA SHEET

PHYSICAL PROPERTIES

Appearance: Clear liquid
Specific Gravity: 0.84 - 0.85
Flash Point: 51° (PMCC)
Toxicity: Non-Toxic

Electrical Strength: 250 kV (250,000 volts)

Drying time: Similar to water

Residue after Evaporation: Nil Effect on Metal: Nil

Storage: 2 years shelf life

ORDERING INFORMATION

Product Code	Packaging	Units/Carton
5100/39	4 Litres	4 units
5100/51	20 Litres	Each
5100/64	200 litres	Each

SAFTEY PRECAUTIONS

Citra-Safe[®] is classified as combustible. Contact with the skin may cause de oiling and drying. When repeated contact cannot be avoided, protect hands with nitrile rubber gloves. Contact with the eyes may cause pain and irritation but not damage, flush the eyes with copious quantities of water. If in contact with skin wash with soap and water.

FIRST AID

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Collect spillage. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

STORAGE & DISPOSAL

Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/containers in accordance with local regulations.

Citra-Safe® is a registered trademark of Inland Technology Inc.

WARRANTY – All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, expressed or implied, for which seller assumes legal responsibility and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent.

Created 4th November 2021 Date Printed 3/04/2024 11:34 AM