EFFECTIVENESS TEST

Diesel Consumption

Identifier	Diesel Consumption - Control (Litres/km)	Diesel Consumption – Rox Diesel EcoPlus (Litres/km)	Fuel savings
Kenworth A	0.6514	0.6202	4.80%
Kenworth B	0.6965	0.6557	5.90%
Mack	0.6777	0.6444	4.90%

DESCRIPTION

ROX[®] DIESEL ECOPLUS

ROX® Diesel EcoPlus Fuel Additive is a multi-functional diesel fuel maintenance product, specially formulated to give overall improvements on most aspects of fuel efficiency.

FEATURES AND BENEFITS

- Injector Cleanliness & Powerful Biocide •
- Improved Lubricity & Fuel Economy •
- Improved Exhaust Emission
- Enhances Fuel Stability & Demulsibility •

Scope: The scope of the trial was to measure the changes in fuel economy (expressed in fuel consumption) and AdBlue consumption in a fleet of three trucks over the course of one month and a distance of just over 200,000 km. Results: The results obtained at the end of the trial were then compared to existing data to provide a quantified figure for fuel and AdBlue saving. The results are summarised below.

Improves Lubricity & Fuel Economy


Callington

TECHNICAL DATA SHEET

Code 8285




TECHNICAL DATA SHEET



AdBlue Consumption

Identifier	AdBlue per km Control	AdBlue per km – Rox Diesel EcoPlus	AdBlue savings
Kenworth A	0.01598	0.01557	2.60%
Kenworth B	0.01111	0.00963	13.40%
Mack	0.029997	0.02443	18.50%



Callington Haven Pty Ltd 30 South Street, Rydalmere NSW 2116 Australia T: +61 2 9898 2788 E: australia@callington.com

callington.com



TECHNICAL DATA SHEET

APPLICATION

The recommended treat rate is 1:500 for the initial first-time treatment and 1:1000 to 1:2000 for subsequent treatments.

- Add 1 part of Diesel Fuel Additive to 500 parts of Diesel for the first treatment. Mix well
- For subsequent treatment add 1 part to 1000 parts of Diesel

SPECIFICATION

Appearance colour: Density: Transparency: Light brown coloured liquid 0.82 +/- 0.02 Clear

HANDLING

Combustible - Do not use near open flame or heat. Keep out of reach of children. Refer to the Material Safety Data sheet for further information.

FIRST AID

If swallowed - do NOT induce vomiting. Give a glass of water to drink. Contact a Doctor or Poisons Information Centre. If in eyes flush with plenty of water for at least 15 minutes. If on skin, wash with soap and water.

PACK SIZES:

1L	8285/30
5L	8285/42
20L	8285/51

WARRANTY - All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, expressed or implied, for which seller assumes legal responsibility and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent. Created 14 December 2021 Date Printed 26/07/2023 4:10 PM

callington.com