





#### **CH511C**

Super Concentrated Aircraft Exterior Cleaner

- · Alkaline water based concentrated cleaner
- · Adjustable dilution for various cleaning applications
- For use on all metal and painted exterior surfaces
- · Also suitable for landing gears, wheel wells, wing flaps

Certification	Item Code	Packaging
D6-17487 D6-7127 AMS 1526 AMS 1550 AMS 1530	2525/51 2525/64	20L 200L

## **CH087**

Heavy Duty Aircraft Exterior Cleaner



- · Alkaline water based cleaner
- · Adjustable dilution (1:10) for various cleaning applications
- Designed to give optimum brightness, cleaning, degreasing of all painted and unpainted surfaces and components
- CH087 can be applied with multiple application methods

Certification	Item Code	Packaging
D6-17487 Douglas CSD AMS 1526 AMS 1530	2520/51 2520/64	20L 200L



## CH8000

Exterior Cleaner for Wet & Dry Wash Applications

- Designed as a cleaner / degreaser for exterior aircraft painted surfaces
- · Ideal for landing gears, engine exhaust areas, wing flaps, grease, oils and hydraulic oil build up
- $\boldsymbol{\cdot}$  Can be used with either a dry or wet wash application

Certification	Item Code	Packaging
D6-17487 BSS 7432 AMS 1526	2515/51 2515/64	20L 200L



## CH8100

Ecofriendly Aircraft Concentrated Exterior Cleaner for Wet and Dry Wash

- $\cdot$  Eco friendly, low VOC, water based exterior cleaner
- · Removes heavy oil and smoke trial deposits
- $\boldsymbol{\cdot}$  Easy application by spraying, brushing, or wiping

Certification	Item Code	Packaging
AMS 1526C AMS 1530C Boeing D6-17487 (Rev T)	2530/51 2530/64	20L 200L



#### CH3003

Environmentally Friendly Aircraft Paint Stripper (Acid Activated)



#### Non-flammable acid activated paint stripper

- · Designed for where phenolic types are not recommended
- $\cdot$  Free of chlorinated compounds such as Methylene Chloride

Certification	Item Code	Packaging
MIL-R-81903	6300/51 6300/64	20L 200L



## CH9004

Environmentally Friendly, Hydrogen Peroxide Aircraft Paint Stripper



- Made with biodegradable, low odour, low VOC non-aromatic solvents.
- Does not contain methylene chloride, NMP, phenols, amines, nitrites, acids or chromates.
- · Thixotropic clings to vertical, inclined, and overhead surfaces

Certification	Item Code	Packaging
Boeing D6-17487	6200/51 6200/64	20L 200L



## **CH207**

Aircraft Paint Stripper (Phenolic + Acid Activated)

#### Non-flammable acid activated paint stripper

- · Removes epoxy and PU coatings, including primer and base coats
- · Viscous material which clings to vertical and inverted surfaces
- · Suitable for both brush and spray applications

Certification	Item Code	Packaging
SMI MIL-R-81903A	6650/51 6650/64	20L 200L



## CH8930

Aircraft Paint Stripper (Phenolic)

## Non-flammable phenolic paint stripper

- $\cdot$  Removes epoxy and PU coatings, including primer and base coats
- · Non-corrosive to aluminium, cadmium and high strength steel
- · Slow evaporation rate which allows for extended working life

Certification	Item Code	Packaging
D6-17487 AMS 1375 Douglas CSD*1 USAF MIL-R-81294B GPC-R-49	6600/51 6600/64	20L 200L



# CITRA-SAFE®

Biodegradable Non-Hazardous Cleaning Solvent

## Biodegradable non-toxic & non-hazardous solvent

- · Used for removal of CIC
- Produced from all natural, non petroleum distillates
- Replacement for mineral spirits, thinners and chlorinated solvents to remove tough greases, oil, tar and other contaminates from metals, painted surfaces, ceramic, fiber glass & many plastics
- · Also effective on some glues & resins
- · Citra-Safe® is a registered trademark of Inland Technology Inc

Certification	Item Code	Packaging
Boeing/McDonnell/Airbus/Bombardier/ US Dept of Defence/US Army NATO Stock Number: 6850-01-378-0575 (20L)	5100/51	20L



#### **ACTASOL**

Biodegradable Non-Hazardous Aircraft Cleaning Solvent

#### Callington safe & responsible formulation solvent

- · Used for removal of CIC
- · Biodegradable solvent produced from all natural distillates
- · Replacement for mineral spirits, thinners & other solvents
- Will clean oily and soiled surfaces including wing leading, trailing edges, hydraulic pipes, landing gear and wheel wells
- · Use clean surfaces prior to painting and sealing

Certification	Item Code	Packaging
D6-17487	5350/42 5350/51 5350/64	5L 20L 200L

#### WATER & LAVATORY.....



Chlorinated Powder for Disinfection of Drinking Water



# Designed for treatment of tankers and water tanks

- $\cdot$  Water chlorination product. Readily soluble powder
- $\cdot$  Used for treating tanker supplying water to the aircraft and water in the aircraft water system
- · Sanipure 6000: Active substance Chloramine T

Certification	Item Code	Packaging
Chloramine T recommended by World Health Organisation	Sanipure 6000 AR0006583 Chloramine T	<b>24</b> x 100g units per carton



# **LAV'ODOR ELIMINATOR 130**

Lavatory Odour Neutraliser

- · Neutralises and eliminates bad odours in aircraft toilets
- $\boldsymbol{\cdot}$  Can be diluted with "blue" water treatment products
- · Suitable for both recycled and vacuum flush systems

Certification	Item Code	Packaging
AMS1550 D6-7127	AR0000127	<b>24</b> x 100ml per carton



#### **BIOCLEAN 360**

Liquid Deodorant for Aircraft Lavatories

## Highly concentrated disinfectant solution for cleaning and deodorising of aircraft lavatories

- Detergent, disinfectant, bactericide, deodorant and cleaner
- · For both re-circulating and vacuum toilet systems
- · Blue coloured, biodegradable liquid
- · Dilution Rates: 1:100 to 1:640

Certification	Item Code	Packaging
AMS 1476 NATO Stock Number: 6840-66-1669173 (150g)	AR0000271 AR0004550	4 x 5L per carton 1 x 20L 200L 1000L



# **BLUE LAGOON WATER**

Cleaning Chemical for Aircraft Toilet Sanitation

#### Disposable sachet used directly into the retention tank

- Suitable for re-circulating or vacuum toilet systems
- Eliminates unpleasant odours during a 24 hour flight
- · Non-staining and no harmful effects on materials

Certification	Item Code	Packaging
AMS1476 Airbus CML	AR0000242	<b>500</b> x 20g sachet per carton
D6-17487 AMS1476	9201/008 9201/040	<b>75</b> x 8g sachet per carton <b>20</b> x 40g sachet per carton



Aircraft Lavatory Pipe Cleaner



#### Removes scale and waste from toilet lines in aircrafts

- $\cdot$  Acetic acid or Sulphamic acid based formulas
- $\cdot$  Used for unblocking of all types of sanitary systems
- Quick and easy pour directly into affected areas
- · Unblock: Active Acetic Acid
- · Unblock-S: Active Sulphamic Acid.
- · Crushed ice not required for Unblock-S

Certification	Item Code	Packaging
AMS 1640	AR0000042 Acetic Acid	10 x 2L per carton
	Unblock-S - 5120/33 Sulphamic Acid	10 x 2L per carton



## **SYN 38**

General Purpose Synthetic Metalworking Coolant

- · Rejection of tramp oil for easy removal
- · Low foaming in all water conditions
- · Excellent stability and resistance to microbial growth
- · Mineral oil, chlorine, phenol, and nitrite-free
- Excellent corrosion protection even in hard water conditions

Item Code	Packaging
7128/51	20L
7128/51/IND	20L
7128/64/IND	200L



# **SYN 90**

High Performance Synthetic Metalworking Coolant

- · Environmentally friendly
- Uniquelubricity and surfactant technologies provides superior lubrication compared to conventional mineral oil based
- · Neat cutting oils and soluble oils, without use of chlorinated or sulphurised additives
- Excellent stability and resistance to microbial growth, providing extremely long fluid life
- · Low foaming in all water conditions, eliminating the use of antifoams

Item Code	Packaging
7141/51	20L
7141/64	200L



## SYN 85MM

Premium Synthetic for Multi Metal Machining

- · Low foaming in all water conditions
- · Excellent stability and resistance to microbial growth
- · Unique technology provides exceptional machining performance and extends tool life
- $\cdot$  Excellent corrosion protection even in hard water conditions
- $\cdot$  Low pH means safe to machine operators, mild to the skin

Item Code	Packaging
7137/51	20L
7137/64	200L



## **DUBL-CHEK HM-406**

Water Washable Fluorescent Penetrant

- · Low to near zero background for assured indication visibility
- · Sharp, precise flaw indication for rapid interpretation
- · Excellent electrostatic spray capability
- · Long material tank life due to formula stability and non-volatility
- · Low material consumption (low drag out) due to low viscosity
- · Clean, odourless product, vapor free atmosphere

Item Code	Packaging
1497/42	1 gallon (3.8L)
1497/51	5 gallon (18.9L)
1497/64	55 gallon (208L)



# **DUBL-CHEK HM-604**

Water Washable Fluorescent Penetrant

- · Low to near zero background for assured indication visibility
- · Sharp, precise flaw indication for rapid interpretation
- · Excellent electrostatic spray capability
- · Long material tank life due to formula stability and non-volatility
- · Low material consumption (low drag out) due to low viscosity
- Surfactant base bio-degradable penetrant

Item Code	Packaging
1496/400	Aerosol
1496/42	1 gallon (3.8L)
1496/51	5 gallon (18.9L)
1496/64	55 gallon (208L)



Post Emulsifiable Fluorescent Penetrant



- · Low to near zero background for assured indication visibility
- · Sharp, precise flaw indication for rapid interpretation
- Excellent electrostatic spray capability
- · Long material tank life due to formula stability and non-volatility
- · Low material consumption (low drag out) due to low viscosity
- · Clean, odourless product, vapor free atmosphere

Item Code	Packaging
1495/400	Aerosol
1495/42	1 gallon (3.8L)
1495/51	5 gallon (18.9L)
1495/64	55 gallon (208L)



# S-WELD CLEAN NEUTRALISER

Neutralising Solution for Acidic Pickling Paste

- Colour change indicates neutralisation of acidic waste and pH change, therefore waste can be discarded
- Provides protection in environmentally sensitive areas such as tiled or painted surfaces, if used as a surface coating
- Can be used in a spray pack as a test method to ensure all surfaces have been washed down and all acid removed

Item Code	Packaging
1150/42	5L x 4 units
1150/51	20L
1150/64	200L



## **S-WELD SPS**

Pickling Spray Solution

- · Conforms to ASTM a380-17
- · Quick acting formulation, one step treatment
- · Completely water rinsible
- · Colour indicator indicates if SPS has been sprayed onto the surface or washed down
- · Leaves no residual film after rinsing
- Provides excellent surface coverage compared to regular paste/gel pickling products

Item Code	Packaging
1108/45	10L
1108/1000	1000L



## **WELDCOOL**

Welding System and Torch Coolant

- · Suitable for MIG, TIG, Laser & Plasma cooling systems
- Extends life of pumps, seals and gaskets which prevents costly downtime on equipment
- Contains corrosion inhibitors to prevent build-up of rust and extends the life of cooling systems components
- Non-flammable, low viscosity and low toxicity

Item Code	Packaging
1490/42	5L



## **WELDBRITE**

Thixotropic Pickling Paste for Stainless Steel

- · Quick acting
- · One step treatment
- · Completely water rinseable
- · Conforms to the International Standard ASTM A380-17
- · Convenient size packs no wastage
- · Can be used on vertical surfaces

Item Code	Packaging
1105/30	1kg
1105/78	2.5kg

AUS, NZ & ME





# **CALGUARD ANTI-SPATTER**

Water-Based CalGuard Anti-Spatter Spray

- · Biodegradable, easy waste disposal
- · Water based, non-toxic, making it user safe
- · Ozone safe, making it environmentally friendly
- · Non-flammable
- · Paintable no silicone
- For MIG & Electrode welding

Item Code	Packaging
1400/28	Trigger Spray 750ml x 12 units
1400/42	5L x 4 units
1400/51	20L
1400/64	200L



# S-WELD SPATTER GUARD

Anti-Spatter Aerosol Spray

- $\boldsymbol{\cdot}$  Protection for interior and exterior of MIG nozzles & Electrode welding
- · Uniform spray with no air bubbles
- · Non-flammable, making it workshop safe
- Provides base metal protection and can be used in all areas
- · Contains no silicones which enables no painting or powder coating problems

Item Code	Packaging
1450/454	<b>454g</b> x 12 units

# **GLOBAL SUPPORT**



•••••• ••••• ..... . . . . . . 0000

**Mexico City** 

....

...... •••••• •••••• .

•••••• •••••

••••• •••••

> . . . . . . . . -----. . . . . . . .

. . . . . . . . . . . . . .

....

. .

0000

0 0

•••••

. . . . . . . .

0 0



HEAD OFFICE: Sydney, Australia



MANUFACTURING SITES: Florida, Paris, Tunis Chennai, Kuala Lumpur, Bangkok, Sydney, Jakarta, Capetown



R&D SITES: Sydney, Paris, Bangkok, Chennai



SALES OFFICES: Florida, Paris, Sydney, London Chennai, Singapore, Kuala Lumpur, Bangkok, Montreal, Hong Kong, Dubai, Ho Chi Minh, Manila



DISTRIBUTION WAREHOUSES: Paris, Dubai, Singapore Sydney, Bangkok, London, Mumbai, Chennai, Florida, Johannesburg, Santiago, Copenhagen, Riyadh Mexico City




Londe

0 0 0

. .

0000 • • • •





CALLINGTON OPERATES GLOBALLY ACROSS SIX CONTINENTS AND OUR SPECIALTY PRODUCTS AND SERVICES ARE PROVIDED TO CUSTOMERS IN OVER 150+ COUNTRIES.



Callington Canada +1 (321)-972-2034



Callington Thailand +66 2440 0686 thailand@callington.com



Callington UK Ltd +33 1 64 11 33 22 UK@callington.com



Callington Inc +1 (321)-972-2034 americas@callington.com



Callington India +91 44 2828 2128 india@callington.com



Callington Singapore Pte Ltd +65 6271 0091 singapore@callington.com



Callington Malaysia +6 013 4532989 malaysia@callington.com



Callington Philippines +65 6271 0091 philippines@calli ngton.com



Callington Vietnam +65 6271 0091 vietnam@callington.com



Callington Haven Pty Ltd +61 2 9898 2700 australia@callington.com



Callington Hong Kong +971 (0) 4 223 0133



Callington Middle East +971 (0) 4 223 0133



callington.com